# Resilient Coastal Landscapes



#### Goal:

Identify representative coastal sites that will be resilient to climate change






# Two Main Concepts



# **Conserving Nature's Stage**

Focus on the diversity and structure of physical environment



#### **Climate-Resilient Sites**

Focus conservation on places with many climate options and high connectedness



# Climate-Resilient Sites

#### **Resilient Landscape**

An area with sufficient options to enable species and ecosystems to rebound in the face of great stresses without transforming into an undesirable condition




Highly Vulnerable
Disrupted function, low diversity **Few options**Weedy generalists

Highly Resilient
Sustain function and diversity
Many options
Persistence of native species


**Site Resilience** is the capacity of a site to maintain species diversity and ecological function as the climate changes.

**Resilient Site**: An intact geophysical setting that sustains a diversity of species and communities, maintains basic relationships among ecological features, and allows for adaptive change in composition and structure.



#### Regional Terrestrial Resilience Score Stratified by Setting and Ecoregion with Regional Override

# TNC Climate-Resilient Lands





Four peer reviewed papers and reports


PLOS one

# Landscape Diversity


Microclimatic buffering: many local climates enhance species persistence and slow down the velocity of climate change







## Local Connectedness



Developed by Brad Compton: UMASS CAPS/Landscape Ecology

The degree to which the landscape allows for species movement and other natural processes


Highly Connected Landscapes provide many options


Fragmented
Landscapes
Provide few options
for movement and
processes


# Complex and Connected = Many Options SHALE LIMESTONE



# Coastal Resilience: NALCC grant: Jan 2015 – Jan 2017










Is it essentially a fine scale version of the Coastal Vulnerability Index?

	Ranking of coastal vulnerability index							
	Very low	Low	Moderate	High	Very high			
VARIABLE	1	2	3	4	5			
Geomorphology	Rocky, cliffed coasts Fiords Fiards	Medium cliffs Indented coasts	Low cliff's Glacial drift Alluvial plains	Cobble beaches Estuary Lagoon	Barrier beaches Sand Beaches Salt marsh Mud flats Deltas Mangrove Coral reefs			
Coastal Slope (%)	> .2	.207	.0704	.04025	< .025			
Relative sea-level change (mm/yr)	< 1.8	1.8 - 2.5	2.5 - 2.95	2.95 -3.16	> 3.16			
Shoreline erosion/ accretion (m/yr)	>2.0 Accretion	1.0 - 2.0 -1.0 - +1.0 -1.12.0 retion Stable Eros		< - 2.0 Erosion				
Mean tide range (m)	> 6.0	4.1 - 6.0	2.0 - 4.0	1.0-1.9	< 1.0			
Mean wave height (m)	<.55	.5585	.85 –1.05	1.05 -1.25	>1.25			

❖ Thieler and Hammar-Klose 1999




# Coastal Assessments: Terrestrial ERA based on ecosystems and species






# Coastal Assessment: Marine NAMERA: seafloor and coastal themes




NGDC:CRM & USSeabed


# Coastal Assessment: Marine NAMERA: seafloor and coastal themes




**Ecological Marine Units** 

Depth, Sediment grain size, Seabed forms






### Stratification




62 Coastal Shoreline Units (CSUs)



#### **Shoreline Units**







#### A Fine Scale Version of CVI?

	Ranking of coastal vulnerability index							
	Very low	Low	Moderate	High	Very high			
VARIABLE	1	2	3	4	5			
Geomorphology	Rocky, cliffed coasts Fiords Fiards	Medium cliffs Indented coasts	Low cliffs Glacial drift Alluvial plains	Cobble beaches Estuary Lagoon	Barrier beaches Sand Beaches Salt marsh Mud flats Deltas Mangrove Coral reefs			
Coastal Slope (%)	> .2	.207	.0704	.04025	< .025			
Relative sea-level change (mm/yr)	< 1.8	1.8 - 2.5	2.5 - 2.95	2.95 -3.16	> 3.16			
Shoreline erosion/ accretion (m/yr)	>2.0 1.0 -2.0 Accretion		-1.0 - +1.0 Stable	-1.12.0 <- 2.0 Erosion				
Mean tide range (m)	> 6.0	4.1 - 6.0	2.0 - 4.0	1.0-1.9	< 1.0			
Mean wave height (m)	<.55	.55 –.85	.85 -1.05	1.05 -1.25	>1.25			

❖ Thieler and Hammar-Klose 1999

# Existing Data

- Coastal Slope
- Geomorphology, topographic, elevation diversity (10 m, 30 m)
- Surficial Substrate (SSURGO)
- Bedrock Geology (States)
- \* Rivers (freshwater flushing rates, Olivero)
- Ecological system / Land cover
- Connectedness, Anthropogenic barriers, migration space
- Offshore: Bathymetry, Substrate



# Data Needs: Do these exist? What scale? 30 m? CSU? Watershed?

Inundation (relative rate of SLR) Lentz et al?

- Mean tidal height and tidal range
- Mean wave height
- Sediment supply (external/internal sediment inputs)
- Land subsidence
- Accretion/erosion rates

We can allocate considerable effort to creating/compiling these at the regional scale. Would they be useful to others? What are the priorities?

### THANK YOU

